

**Details**

Manufacturer & Model	<b>MT-09 / FZ-09 / 21-&gt;22</b>
Kit Code	<b>KRBEA2-021</b>
Rapid Bike type	<b>easy</b>
Wiring	<b>F27-EA-021</b>
Extra Cost	<b>✗</b>
O2 Modulation	<b>✓</b>
Injection	<b>✗</b>
Self adaptative injection	<b>✗</b>
eight injectors	<b>✗</b>
two O2	<b>✗</b>
gearbox reading	<b>✗</b>
speed limiter	<b>✗</b>
rpm limiter	<b>✗</b>
Engine brake	<b>✗</b>
Ignition timing	<b>✗</b>
Traction Control	<b>✗</b>
Launch Control	<b>✗</b>
Shift assist (up)	<b>✗</b>

Manufacturer & Model	<b>MT-09 / FZ-09 / 21-&gt;22</b>
Kit Code	<b>KRBEVO-098C</b>
Rapid Bike type	<b>evo</b>
Wiring	<b>F27-ER-098L</b>
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✓
Shift rod type	<b>B + C</b>
Warnings	<b>Do not use this part number for SP model</b>

Manufacturer & Model	<b>MT-09 / FZ-09 / 21-&gt;22</b>
Kit Code	<b>KRBEVO-098C</b>
Rapid Bike type	<b>evo</b>
Wiring	<b>F27-ER-098L</b>
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✓
Shift rod type	<b>B + C</b>
Warnings	<b>Do not use this part number for SP model</b>

Manufacturer & Model	<b>MT-09 / FZ-09 / 21-&gt;22</b>
Kit Code	<b>KRBRAC-098C</b>
Rapid Bike type	<b>racing</b>
Wiring	<b>F27-ER-098L</b>
Extra Cost	<b>✗</b>
O2 Modulation	<b>✓</b>
Injection	<b>✓</b>
Self adaptative injection	<b>✓</b>
eight injectors	<b>✗</b>
two O2	<b>✗</b>
gearbox reading	<b>✗</b>
speed limiter	<b>✗</b>
rpm limiter	<b>✗</b>
Engine brake	<b>✓</b>
Ignition timing	<b>✓</b>
Traction Control	<b>✓</b>
Launch Control	<b>✓</b>
Shift assist (up)	<b>✓</b>
Shift rod type	<b>B + C</b>
Warnings	<b>Do not use this part number for SP model</b>

---

## **DIMSPORT SOLUTIONS FOR THIS VEHICLE**

---



### **RAPID BIKE EVO**

It puts in your hands total control of fueling operations as it is directly connected to all stock injectors (up to eight) while managing at the same time the corresponding air/fuel ratio. In this way the carburetion values can be modified throughout the entire engine power delivery curve.




### **RAPID BIKE EASY**

Equipped with a microprocessor managing directly the lambda sensor signal to optimize the air/fuel ratio, improve the engine efficiency and eliminate the torque and power gaps



### **RAPID BIKE RACING**

It represents the highest level of technology available for reaching top performance, offering the widest range of solutions for demanding professional track riders and street users.



### **YOUTUNE**

A compact and innovative calibration device allowing to customize your bike's performance in real time, whether you are on the street or on a race track.



### **SHIFT ASSIST**

Performing up-shift as well as down-shift operations



### **MY TUNING BIKE**

Performing a real-time injection auto-remapping